

# Safety Data Sheet

according to 91/155/EEC and ISO 11014-1

Date of printing: 04.11.2003

Page: 1/6

Revised: 11.12.2002

SDS No.: 012-00033709.0000

## \* 1. Identification of the substance/preparation and company

Product

Product name

**SikaFix RSM**

Manufacturer/supplier information

Manufacturer/supplier:

Sika Yapı Kimyasalları A.Ş.

Street/postbox:

Çamçeşme Mah. Sanayi Cad.81510

Town/City and Post Code:

TR-Kaynarca-Pendik İstanbul

Country:

Türkiye

Phone:

+90 216 494 19 90

Telefax:

+90 216 494 19 84

General information:

+90 216 494 19 63

Emergency information phone:

+90 216 494 19 63

## \* 2. Composition/information on ingredients

Chemical characterization

Mixture of cements, aggregates and additives

Hazardous ingredients

Designation according to 67/548/EEC

CAS No. Concentration Danger symbols R phrases

EEC No.

• Cement

65997-15-1

25 - 50 % Xi

41,37/38

266-043-4

## \* 3. Hazards identification

Hazards identification

Xi

Irritant

Information on hazards to man and to the environment

37/38

Irritating to respiratory system and skin.

41

Risk of serious damage to eyes.

## 4. First-aid measures

General instructions

In any case show the physician the Safety Data Sheet

After inhalation

In case of irritation when dust is inhaled, provide for plenty of fresh air.

In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off immediately with soap and water

4. First-aid measures (continued)

Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

Summon a doctor immediately.

After ingestion

Do not induce vomiting.

Summon a doctor immediately.

**5. Fire-fighting measures**

Suitable extinguishing media

water

foam

dry powder

Unsuitable extinguishing media for safety reasons

Not applicable.

Exposure hazard arising from the product, its combustion products or resulting gases

Carbon monoxide (CO)

Carbondioxide (CO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

Special protective equipment for fire-fighting

Use breathing apparatus.

Additional information

Product of itself does not burn.

extinguishing measures to suit surroundings

Fire residues and contaminated firefighting medium must be disposed of in accordance with the local regulations.

**6. Accidental release measures**

Personal precautions

Avoid dust formation.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Use personal protective clothing.

Environmental precautions

In case of entry into waterways, soil or drains, inform the responsible authorities.

Procedures for cleaning up

Pick up mechanically

Product name: **SikaFix RSM**

Date of printing: 04.11.2003

Page: 3/6

Revised: 11.12.2002

SDS No.: 012-00033709.0000

6. Accidental release measures (continued)

When picked up, treat material as prescribed under heading "Disposal".

**7. Handling and storage**

Handling

Instructions for safe handling

See chapter 8 / Personal protective equipment.

Avoid dust formation.

Use only in well ventilated areas.

Instructions for fire and explosion protection

Not applicable.

Storage

Requirements for storage rooms and containers

Keep sacks tightly closed and dry, in a weather-proof place

Combined storage instructions

Keep away from food, beverages and animal feedstocks.

Additional information regarding storage

Protect from atmospheric moisture and water

**\* 8. Exposure controls/personal protection**

Personal protective equipment

General protective and hygiene measures

Do not inhale dust

Take care for sufficient ventilation or exhaust on the workshop place.

Do not eat, drink or smoke during work time.

Wash hands before breaks and after work.

Use barrier skin cream.

Respiratory protection

Dust protection mask

Hand protection

Nitrile rubber gloves

Eye protection

Safety glasses/face shield

Body protection

Working clothes

Product name: **SikaFix RSM**

Date of printing: 04.11.2003

Page: 4/6

Revised: 11.12.2002

SDS No.: 012-00033709.0000

### 9. Physical and chemical properties

#### Appearance

Physical state: Powder  
Colour: grey  
Odour: characteristic

#### Data relevant to safety

#### Method

Flash point	not applicable
Vapour pressure at 20°C	not applicable
Loose bulk density	1.5 g/cm <sup>3</sup>
pH value at 20°C (10g/100ml water)	> 11

### 10. Stability and reactivity

#### Materials to avoid/dangerous reactions

Hazardous reactions possible with:  
Acids

#### Thermal decomposition and hazardous decomposition products

No decomposition if used as prescribed.

### \* 11. Toxicological information

#### Sensitization

When skin contact:  
Sensitization/allergic reaction possible.

#### Experience on humans

When skin contact:  
May cause irritation.  
When eyes contact:  
Irritation.  
May cause irreversible damage to eyes.  
When inhalation:  
Irritation.  
When swallowed:  
Small amount may cause considerable health disorders.

### 12. Ecological information

#### Additional information

Due to the high pH, aquatic organisms may be harmed.  
Do not allow to enter waste water drain, waterways or soil.  
Once cured, the product will unlikely have any adverse effect on the environment.

Product name: **SikaFix RSM**

Date of printing: 04.11.2003

Page: 5/6

Revised: 11.12.2002

SDS No.: 012-00033709.0000

### 13. Disposal considerations

#### Product

##### Recommendations

Dispose of in accordance with local authority regulations.

See chapter 15, national regulations.

#### Packaging

##### Recommendations

Completely emptied packagings can be given for recycling.

Packaging that cannot be cleaned should be disposed of as product waste

### 14. Transport information

#### ADR/RID

##### Further information

No dangerous goods.

#### IMO/IMDG

##### Further information

No dangerous goods.

#### IATA/ICAO

##### Further information

No dangerous goods.

### \* 15. Regulatory information

#### Labelling according to EEC Directive

The product is classified and labelled in accordance with EC directives/the relevant national laws.

#### Danger symbols

Xi                      Irritant

#### R phrases

37/38                      Irritating to respiratory system and skin.

41                         Risk of serious damage to eyes.

#### S phrases

26                         In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

39                         Wear eye/face protection.

Product name: **SikaFix RSM**

Date of printing: 04.11.2003

Page: 6/6

Revised: 11.12.2002

SDS No.: 012-00033709.0000

**16. Other information**

asterisk (\*) on left margin marks modification of previous version

R-phrases of the ingredients listed in chapter 2

37/38 Irritating to respiratory system and skin.

41 Risk of serious damage to eyes.

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.