

# Safety Data Sheet

according to 91/155/EEC and ISO 11014-1

Date of printing: 17.04.2008

Page: 1/6

Revised: 17.04.2008

SDS No.: 001-00010000.0000

## 1. Identification of the substance/preparation and company

Product

Product name

**Sika Top-122 part A**

Manufacturer/supplier information

Manufacturer/supplier:

GILAR LTD

Street/postbox:

Hamatechet St. Industrial Area

Town/City and Post Code:

Kadima

Country:

Israel

Phone:

+97298994000

Telefax:

+97298994003

General information:

Environment and Safety

Emergency information phone:

+972 (0) 98 99 40 07

## 2. Composition/information on ingredients

Hazardous Components in Product : The product does not contain any substances Classified as hazardous under current regulations.

## 3. Hazards identification

Not classified as hazardous.

## 4. First-aid measures

General instructions

In any case show the physician the Safety Data Sheet

After inhalation

Remove from exposure. Unlikely to occur. However provide symptomatic medical treatment if required.

After skin contact

Wash skin thoroughly with soap and water.

If material proves difficult to remove, use suitable skin cleanser (not solvent).

Contaminated clothing should be washed or dry-cleaned before re-use.

After eye contact

Immediately flood the eye with plenty of water for at least 10 minutes, holding the eye open.

Eyelids should be held away from the eyeball to ensure thorough rinsing.

Obtain medical attention if soreness or redness persists.

After ingestion

Wash out mouth with water.

Have victim drink 240-300ml of water. If vomiting occurs naturally, rinse mouth and repeat administration of water.

Obtain medical attention.

Product name: **Sika Top-122 part A**

Date of printing: 17.04.2008

Page: 2/6

Revised: 17.04.2008

SDS No.: 001-00010000.0000

#### **5. Fire-fighting measures**

Extinguishing media

Not combustible. Select extinguishing agent appropriate to other materials involved.

In case of fire the following can be released  
Combustion will produce smoke, carbon dioxide and carbon monoxide.

Protective equipment for fire-fighting

Wear self contained breathing apparatus.

#### **6. Accidental release measures**

Personal precautions

Wear appropriate protective clothing.

Environmental precautions

Try to prevent the material from entering drains or water courses.

Procedures for cleaning up

Contain and absorb using earth, sand or other inert material.

Transfer into suitable containers for recovery or disposal.

Small spillages may be flushed with large quantities of water.

Product name: **Sika Top-122 part A**

Date of printing: 17.04.2008

Page: 3/6

Revised: 17.04.2008

SDS No.: 001-00010000.0000

## **7. Handling and storage**

### Handling

Use in well ventilated area. Avoid contact with eyes, skin and clothing. Keep container tightly closed when not in use.

### Storage

Storage area should be: cool. dry.

Store in original containers. Protect from extremes of cold.

Storage temperature should be controlled to between 5 and 25 °C.

## **\* 8. Exposure controls/personal protection**

### Personal protective equipment

General protective and hygiene measures

Do not inhale dust

Take care for sufficient ventilation or exhaust on the workshop place.

Do not eat, drink or smoke during work time.

Wash hands before breaks and after work.

Use barrier skin cream.

Inhalation protection

Respiratory protection not normally required.

Hand protection

Wear suitable impervious gloves.

Eye protection

Wear safety glasses if risks of accidental contamination are possible during application.

Body protection

Working clothes

Engineering measures

Use of the basic principles of Industrial Hygiene will enable this material to be used safely.

Product name: **Sika Top-122 part A**

Date of printing: 17.04.2008

Page: 4/6

Revised: 17.04.2008

SDS No.: 001-00010000.0000

## 9. Physical and chemical properties

### Appearance

Physical state: Liquid.  
Colour: White  
Odour: Characteristic.

### Data relevant to safety

### Method

Flash point	Not applicable
Viscosity at 20°C	Less than 200 at 20 °C. (measured as mPa.s)
Density at 20°C	1.02 Kg/L
Solubility in water at 20°C	Emulsifies
pH value at 20°C (10g/100ml water)	7.5 - 10
Boiling point	100°C

## 10. Stability and reactivity

### Stability

Stable under normal conditions.

### Hazardous decomposition products

After evaporation of water, combustion will generate:  
Oxides of carbon. acrid smoke and irritating fumes.

Product name: **Sika Top-122 part A**

Date of printing: 17.04.2008

Page: 5/6

Revised: 17.04.2008

SDS No.: 001-00010000.0000

### **11. Toxicological information**

When skin contact:

Frequent or prolonged skin contact may cause some local short term skin irritation

When eyes contact:

May cause slight transient irritation.

Acute Toxicity:

Low order of acute toxicity.

### **12. Ecological information**

Mobile liquid. Emulsi fiable in water.

The product is expected to be readily biodegradable.

Product is not expected to bio accumulate.

The product is expected to be non-hazardous to aquatic species.

### **13. Disposal considerations**

Product

Arrange for disposal via a licensed waste contractor

Packaging

Dispose of containers with care. Containers should be cleaned by appropriate methods and then re-used or disposed of by landfill or incineration as appropriate.

Empty packaging should be removed by a licensed waste contractor

### **14. Transport information**

ADR/RID

Further Information

NO DANGEROUS GOODS

IMO/IMDG

Further Information

NO DANGEROUS GOODS

IATA/ICAO

Further Information

NO DANGEROUS GOODS

Product name: **Sika Top-122 part A**

Date of printing: 17.04.2008

Page: 6/6

Revised: 17.04.2008

SDS No.: 001-00010000.0000

### **15. Regulatory information**

R phrases

None assigned.

S phrases

The following are considered as advisory.

Keep out of reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

**16.** The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to any use and processing.