

Safety data sheet According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Sika Ceram 520**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Large width cement joint filter.

Application of the substance / the mixture Filtration of large width cement.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Gilar LTD - Sika Israel

Hamatechet st. 6, 60920 Qadima , Israel

Phone: +972 989 94006 Mobile:+972 544 527 212 Fax: +972 989 94016

Further information obtainable from: Product safety department.

1.4 Emergency telephone number: +972 (0) 8994004 9

2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms GHS05

Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)

Safety data sheet
According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

· **vPvB:** Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

65997-15-1	Cement, portland, chemicals	>15%
1332-58-7	Kaolin	<5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
In any case show the physician the safety data sheet.
- **After inhalation:**
In case of unconsciousness place patient stably in side position for transportation.
In case of irritation when dust is inhaled , provide for plenty of fresh air. In the event of symptoms take medical treatment.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Consult a doctor if skin irritation persists.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
Its combustion products or resulting gases: CO, CO₂, NO_x.
- **5.3 Advice for firefighters**
- **Protective equipment:** Use breathing apparatus.

(Contd. on page 3)

Safety data sheet
According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

(Contd. of page 2)

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Avoid dust formation. Use personal protective clothing. Use breathing apparatus if exposed to vapor/ dust/ aerosol.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.
In case of entry into waterways, soil or drains, inform the responsible authorities.

· 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Pick up mechanically.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.
Use only in well ventilated areas.

· **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Keep sacks tightly closed and dry in a weather - proof place.

· Information about storage in one common storage facility:

Keep away from food, beverages and animal feedstocks.

· Further information about storage conditions:

Keep container tightly sealed.
Protect from atmospheric moisture and water.

· **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities:

No further data; see item 7.

Do not inhale dust. Take care for sufficient ventilation or exhaust on the workshop place. Do not eat drink or smoke during work time. Wash hands before breaks and after work.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Safety data sheet
According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

(Contd. of page 3)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Respiratory protection:** Dust protection mask.

· **Protection of hands:**



Protective gloves

· **Material of gloves:** Nitrile rubber gloves.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Working clothes.

9 Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Powder
Colour:	Grey
· Odour:	Odourless
· Odour threshold:	Not determined.

· pH-value at 20 °C: >12

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

Decomposition temperature: Not determined.

(Contd. on page 5)

Safety data sheet
According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

(Contd. of page 4)

· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	1.32-1.42 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	N/A
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Hazardous reactions possible with : Acids.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

14808-60-7 Quartz (SiO₂)

Oral	LD50	10000 mg/kg (rat)
		>5000 mg/kg (rat)

1332-58-7 Kaolin

Oral	LD50	>2000 mg/kg (rat)
------	------	-------------------

(Contd. on page 6)

Safety data sheet According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

(Contd. of page 5)

1592-23-0 calcium distearate, pure

Oral | LD50 | 10000 (rat)

1317-61-9 triiron tetraoxide

Oral | LD50 | >5000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Safety data sheet

According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

(Contd. of page 6)

Completely emptied packaging can be given for recycling.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05
- **Signal word** Danger
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 8)

Safety data sheet
According to 1907/2006\ EEC

Printing date 12.01.2016

Version number 1

Revision: 03.11.2015

Trade name: Sika Ceram 520

(Contd. of page 7)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Product safety department.

· **Contact:**

Gilar LTD -Sika Israel

Hamatechet st.6, 60920 Qadima , Israel

Phone: +972 989 94006 Mobile: +972 544 527 212 Fax: +972 989 94016

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

- * **Data compared to the previous version altered.**