



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

- **1.1 Product identifier**
- **Trade name: SIKA SEAL 105 comp B**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Concentrate admixture.
- **Application of the substance / the mixture** Concentrate admixture
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Gilar LTD - Sika Israel  
Haharuv st. 3, 7319900 Modi'in Industrial Park, Israel  
Phone: +972 39019000, Mobile: +972 544527212, Fax: +972 39019010.
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:** +972 39019004

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

IL



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

(Contd. of page 1)

**Hazard pictograms**

GHS05 GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labelling:**

opc cement - grey  
opc cement -white  
kaolin

**Hazard statements**

H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.  
H372 Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P271 Use only outdoors or in a well-ventilated area.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.  
**vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 14808-60-7	Quartz (SiO <sub>2</sub> )	25-50%
EINECS: 238-878-4	substance with a Community workplace exposure limit	

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

		id. of page 2)
	<i>opc cement -white</i>	15-25%
	<i>Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335</i>	
	<i>kaolin</i>	5-15%
	<i>STOT RE 1, H372</i>	
	<i>opc cement - grey</i>	5-15%
	<i>Eye Dam. 1, H318</i>	
	<i>Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335</i>	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist, consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Use breathing apparatus.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter wastewater drain, waterways or soil.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

Trade name: **SIKA SEAL 105 comp B**

(Contd. of page 3)

*Ensure adequate ventilation.**Use neutralising agent.**Pick up mechanically.***· 6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****· 7.1 Precautions for safe handling***Ensure good ventilation/exhaustion at the workplace.**Avoid dust formation***· Information about fire - and explosion protection:** *No special measures required.***· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** *No special requirements.***· Information about storage in one common storage facility:** *Not required.***· Further information about storage conditions:***Keep container tightly sealed.**Keep container dry, in a waterproof place.***· 7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****· Additional information about design of technical facilities:** *No further data; see item 7.***· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:****14808-60-7 Quartz (SiO<sub>2</sub>)**

TLV	Long-term value: 0.1 mg/m <sup>3</sup> respirable fraction
-----	---------------------------------------------------------------

**opc cement -white**

	TLV TWA 10 mg/m <sup>3</sup> (total inhalable dust)
	TWA 4 mg/m <sup>3</sup> (Respirable dust)

**opc cement - grey**

	TLV TWA 10 mg/m <sup>3</sup> (total inhalable dust)
--	-----------------------------------------------------

**· Additional information:** *The lists valid during the making were used as basis.*

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

(Contd. of page 4)

**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**· Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**· Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**

Tightly sealed goggles

**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

**Form:** Powder

**Colour:** Grey

(Contd. on page 6)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

id. of page 5)

· <b>Odour:</b>	Odorless
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value at 20 °C:</b>	12
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

\*

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Hazardous reactions possible with acids
- **10.4 Conditions to avoid** No further relevant information available.

(Contd. on page 7)

H



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

Trade name: **SIKA SEAL 105 comp B**

(Contd. of page 6)

- **10.5 Incompatible materials:** Acids, Ammonium salts and aluminium metal
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

\* **SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure**  
Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

\* **SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**  
There aren't any emission standards relevant to this product in Israel.  
According to business licensing 1990, the holder of this product need to dispose it as soon as

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

(Contd. of page 7)

possible (no later than 6 months since it produced) to Ramat Chovav waste site when it's packed and transported legally.

According to water regulations 2003, operator shall not discharge wastewater which PH is higher than 10 to sewage system (unless there is a permission for it).

**· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**· Uncleaned packaging:**

**· Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information****· 14.1 UN-Number**

· ADR, RID, ADN, ADN, IMDG, IATA      Void

**· 14.2 UN proper shipping name**

· ADR, RID, ADN, ADN, IMDG, IATA      Void

**· 14.3 Transport hazard class(es)**

· ADR, RID, ADN, ADN, IMDG, IATA

· Class      Void

**· 14.4 Packing group**

· ADR, RID, ADN, IMDG, IATA      Void

**· 14.5 Environmental hazards:**

Not applicable.

**· 14.6 Special precautions for user**

Not applicable.

**· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**· UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****· Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 9)





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

(Contd. of page 8)

**· Hazard pictograms**

GHS05 GHS07 GHS08

**· Signal word** *Danger***· Hazard-determining components of labelling:**

*opc cement - grey*  
*opc cement -white*  
*kaolin*

**· Hazard statements**

*H314 Causes severe skin burns and eye damage.*  
*H317 May cause an allergic skin reaction.*  
*H335 May cause respiratory irritation.*  
*H372 Causes damage to organs through prolonged or repeated exposure.*

**· Precautionary statements**

*P101 If medical advice is needed, have product container or label at hand.*  
*P102 Keep out of reach of children.*  
*P103 Read label before use.*  
*P271 Use only outdoors or in a well-ventilated area.*  
*P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*P310 Immediately call a POISON CENTER/doctor.*  
*P405 Store locked up.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

**· Directive 2012/18/EU**

**· Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

**· 15.2 Chemical safety assessment:** *A Chemical Safety Assessment has been carried out.*

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. All information contained in the present sheet is based on the manufacturer data. The use of this Product is not subject to our direct control: therefore, users must under their own responsibility comply with the current health and safety laws and regulation.*

**· Relevant phrases**

*H315 Causes skin irritation.*

(Contd. on page 10)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 12.09.2019

Version number 2

Revision: 12.09.2019

**Trade name: SIKA SEAL 105 comp B**

(Contd. of page 9)

*H317 May cause an allergic skin reaction.*

*H318 Causes serious eye damage.*

*H319 Causes serious eye irritation.*

*H335 May cause respiratory irritation.*

*H372 Causes damage to organs through prolonged or repeated exposure.*

· **Department issuing SDS:** Product safety department.

· **Contact:**

*Gilar LTD - Sika Israel*

*Haharuv st.3, 7319900 Modi'in Industrial Park, Israel*

· **Phone:** +972 39019000, **Mobile:** +972 544 527212, **Fax:** +972 39019010

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Skin Sens. 1: Skin sensitisation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1*

· **\* Data compared to the previous version altered.**